

TITLE: METHOD FOR THE DISSOCIATION OF THE EXTRACELLULAR HAEMOGLOBIN MOLECULE OF *ARENICOLA*  
*MARINA* AND THE CHARACTERISATION OF THE PROTEIN CHAINS FORMING THE MOLECULE AND THE  
NUCLEOTIDE SEQUENCES CODING FOR SAID PROTEIN CHAINS

1 / 9




FIGURE 1

BEST AVAILABLE COPY

2 / 9




FIGURE 2

3 / 9




FIGURE 3




FIGURE 4

4/9




FIGURE 6




FIGURE 5

5 / 9




FIGURE 7

6/9




FIGURE 8

TITLE: METHOD FOR THE DISSOCIATION OF THE EXTRACELLULAR HAEMOGLOBIN MOLECULE OF *ARENICOLA MARINA* AND THE CHARACTERISATION OF THE PROTEIN CHAINS FORMING THE MOLECULE AND THE NUCLEOTIDE SEQUENCES CODING FOR SAID PROTEIN CHAINS

7/9




FIGURE 9

8 / 9




FIGURE 10




FIGURE 11



TITLE: METHOD FOR THE DISSOCIATION OF THE EXTRACELLULAR HAEMOGLOBIN MOLECULE OF <I> ARENICOLA  
MARINA </I> AND THE CHARACTERISATION OF THE PROTEIN CHAINS FORMING THE MOLECULE AND THE  
NUCLEOTIDE SEQUENCES CODING FOR SAID PROTEIN CHAINS

9 / 9




FIGURE 12